

VEGA - II M

Manual Cutting Machine Ø 16"



FEATURES

Used for cutting processes of Aluminum, PVC / Vinyl and wooden profiles.






- Manual cutting process with handle
- Safe cutting with double spring system and saw cover
- Pneumatic vertical and horizontal clamps
- Cast core with impact resistance
- Cutting speed adjustment based on the profile
- Cutting at any desired angle between -45° and +45°

Standard Equipment

- Ø 16" (400mm) saw blade
- Cooling system

Optional Equipment

- Conveyor
- Single-phase system

										
HP kw	n	3~ Hz	I (220V)	Ø D	Ø d	s	n	Air Pressure	Air Consumption	I x w x h (inch)
2 1,5	3000 rpm	60	8 A	16"	1 ³ / ₁₆ " 1 ¹ / ₄ "	3/ ₁₆ "	3000 rpm	6-8 bar	7 Gal/min	28" x 32" x 59" 223 lbs



The product data, descriptions and illustrations are shown for advertising purpose in this document and Oz Machine, reserves the right to make modifications or improvements on data, descriptions and illustrations on this document without prior notice.

VEGA - II M

Manual Cutting Machine Ø 16"



Cutting Diagrams



The product data, descriptions and illustrations are shown for advertising purpose in this document and Oz Machine, reserves the right to make modifications or improvements on data, descriptions and illustrations on this document without prior notice.