OZ MACHINE USA

METEOR 600

Automatic Upcut Saw Ø 24"



A 24" upcut saw for large aluminum, PVC / vinyl and wood profiles. Fixed angles from 22.5° to 157.5°, an automatic guard controlled from the panel, and a stroke speed set to each profile.

24"	**22.5–157.5°**	**4 HP**	**Auto**
Upcut saw blade	Fixed cutting angles	Saw motor, 13 A	Guard controlled by the panel

KEY FEATURES

- + Angles 22.5°, 45°, 60°, 67.5°, 75°, 90° … 157.5°
- + Hydro-pneumatic cutting, adjustable stroke speed
- + Pneumatic vertical and horizontal clamps
- + Automatic guard controlled by the panel
- + Mobile miter increases cutting capacity
- + Conveyor, chip vacuum (optional)

WATCH IT RUN
METEOR 600 video on the Oz Machine USA YouTube channel
youtu.be/s5Gh0x4u5pI

Motor	Air	Dimensions · Weight
3 kW / 4 HP · 13 A	2.0 CFM · 100 psi	36 x 48 x 66" · 730 lb

TECHNICAL DATA

METEOR 600

Automatic Upcut Saw Ø 24"

OZ MACHINE USA

SAW UNIT

Saw blade diameter	24"
Saw blade speed	2,193 rpm
Saw motor	3 kW / 4 HP
Cutting angles	22.5°–157.5°, fixed angles
Upcut (rising) blade	•
Hydro-pneumatic cutting	•
Cutting speed set to the profile	•
Mobile miter for larger cutting capacity	•
Cooling system	•
Fixed angles	22.5°, 45°, 60°, 67.5°, 75°, 90° … 157.5°
Automatic guard controlled by the panel	•

CLAMPING AND SAFETY

Pneumatic vertical and horizontal clamps	•
Guard with safety sensor	•

• Standard ○ Optional

OPTIONAL EQUIPMENT

Conveyor	○
Single-phase system	○
Chip vacuum	○

AIR & ELECTRICAL

Voltage	220V 3P, 60 Hz
Current (220V)	13 A
Air pressure	100 psi
Air consumption	2.0 CFM

DIMENSIONS & WEIGHT


Machine size, l x w x h	36 x 48 x 66"
Weight	730 lb


METEOR 600


Automatic Upcut Saw Ø 24"


OZ MACHINE USA

CUTTING DIAGRAM









Cutting capacity by angle. Dimensions in inches and millimeters.

OZ MACHINE USA

2690 West 3rd Court, Hialeah, FL 33010

+1 833-390-0060 (toll-free) · sales@ozmachineusa.com

USA · CANADA · MEXICO

Product data, descriptions and illustrations may change without prior notice.