OZ MACHINE USA

VEGA II M

Manual Single Head Saw Ø 16"



A manual 16" miter saw for aluminum, PVC / vinyl and wood. The impact-resistant cast core, double-spring return and saw cover make it a safe, durable choice for any angle between 45° and 135°.

16"	45–135°	Manual	2.2 kW
Saw blade	Cutting angles	Cutting with handle	Saw motor

KEY FEATURES

- Manual cutting with handle
- Pneumatic vertical and horizontal clamps
- Conveyor, single-phase (optional)
- Double-spring system and saw cover
- Cutting speed set to the profile

WATCH IT RUN

VEGA II series video on the Oz Machine USA YouTube channel

youtu.be/oMO3tiuplNk

Motor	Air	Dimensions · Weight
2.2 kW / 3 HP · 8 A	0.9 CFM · 100 psi	28 x 32 x 59" · 223 lb

TECHNICAL DATA

VEGA II M

Manual Single Head Saw Ø 16"

OZ MACHINE USA

SAW UNIT

Saw blade diameter	16"
Saw blade speed	3,000 rpm
Saw motor	2.2 kW / 3 HP
Cutting angles	45°–135°, any angle
Manual cutting with handle	•
Cutting speed set to the profile	•
Cooling system	•

CLAMPING AND SAFETY

Pneumatic vertical and horizontal clamps	•
Double-spring system and saw cover	•
Impact-resistant cast core	•

• Standard ○ Optional

OPTIONAL EQUIPMENT

Conveyor	○
Single-phase system	○

AIR & ELECTRICAL

Voltage	220V 3P, 60 Hz
Current (220V)	8 A
Air pressure	100 psi
Air consumption	0.9 CFM


DIMENSIONS & WEIGHT


Machine size, l x w x h	28 x 32 x 59"
Weight	223 lb

VEGA II M

Manual Single Head Saw Ø 16"

CUTTING DIAGRAM





Cutting capacity by angle. Dimensions in inches and millimeters.

OZ MACHINE USA
2690 West 3rd Court, Hialeah, FL 33010
+1 833-390-0060 (toll-free) · sales@ozmachineusa.com

USA · CANADA · MEXICO

Product data, descriptions and illustrations may change without prior notice.