OZ MACHINE USA

GO 1200

Semi-Automatic Orbital Stretch Wrapper



The largest GO ring wrapper, for doors, wide panels and furniture parts. Products move over the roller conveyor through the ring while the double film carriage wraps them; the ring runs from a foot pedal and needs no compressed air.

49.2"	5–70 rpm	45.3 x 27.6"	2
Ring diameter	Ring speed	Max. product passage	Film carriages

KEY FEATURES

- Foot pedal control, simple to run
- Adjustable ring speed
- Unlimited product length
- Double film carriage as standard
- No compressed air needed
- Compact footprint

Power	Voltage	Air	Dimensions (W x L x H)	Weight
0.75 kW / 1 HP	220V 1P, 60 Hz	Not required	78.7 x 72.8 x 86.6"	1,102 lb

TECHNICAL DATA

GO 1200

Semi-Automatic Orbital Stretch Wrapper

OZ MACHINE USA

WRAPPING

Ring diameter (clear opening)	49.2" (1250 mm)
Ring speed	5–70 rpm
Max. product passage	45.3" x 27.6" (1150 x 700 mm)
Min. product length	15.75" (400 mm)
Max. product length	Unlimited

STRETCH FILM

Film width	6.7" (170 mm); 4" / 5" also fit
Film roll outer diameter	7.9"
Roll core	3" (76 mm)
Film thickness	15–30 µm

CONVEYOR

Type	Roller, 39.4" x 36.2" (1000 x 920 mm)
Load	60 lb/ft (90 kg/m)
Working height	30.7"–38.6" (780–980 mm)

STANDARD EQUIPMENT

Semi-automatic, foot pedal control	●
Double film carriage	●
Roller conveyor	●
No compressed air needed	●

OPTIONAL EQUIPMENT

Additional roller conveyor	○
Automatic film cutting	○
Manual top pressure	○

ELECTRICAL

Power	0.75 kW (1 HP)
Voltage	220V 1P, 60 Hz (110V 1P option)
Air	Not required

DIMENSIONS & WEIGHT

W x L x H	78.7 x 72.8 x 86.6" (2000 x 1850 x 2200 mm)
Weight	1,102 lb (500 kg)

● Standard ○ Optional

GO 1200

Semi-Automatic Orbital Stretch Wrapper

OZ MACHINE USA

FRONT AND SIDE VIEW



Simplified layout. Dimensions in inches (millimeters).

PRODUCT PASSAGE



Max. product section through the ring, drawn to scale. Inches (millimeters).

OZ MACHINE USA
2690 West 3rd Court, Hialeah, FL 33010
+1 833-390-0060 (toll-free) · sales@ozmachineusa.com

USA · CANADA · MEXICO

Product data, descriptions and illustrations may change without prior notice.