OZ MACHINE USA

VEGA II

Automatic Single Head Saw Ø 16"



The automatic VEGA: a hydro-pneumatic cutting stroke and automatic saw cover on the same 16" miter saw platform, cutting at any angle between 45° and 135°.

16"	45–135°	Hydro pneumatic	2.2 kW
Saw blade	Cutting angles	Cutting stroke	Saw motor

KEY FEATURES

- Hydro-pneumatic cutting stroke
- Automatic saw cover
- Pneumatic vertical and horizontal clamps
- Impact-resistant cast core
- Conveyor, single-phase (optional)

WATCH IT RUN

VEGA II video on the Oz Machine USA YouTube channel
youtu.be/oMO3tiuplNk

Motor	Air	Dimensions · Weight
2.2 kW / 3 HP · 8 A	0.9 CFM · 100 psi	28 x 50 x 58" · 265 lb

TECHNICAL DATA

VEGA II

Automatic Single Head Saw Ø 16"

OZ MACHINE USA

SAW UNIT

Saw blade diameter	16"
Saw blade speed	3,000 rpm
Saw motor	2.2 kW / 3 HP
Cutting angles	45°–135°, any angle
Hydro-pneumatic cutting stroke	•
Cutting speed set to the profile	•
Cooling system	•

CLAMPING AND SAFETY

Pneumatic vertical and horizontal clamps	•
Automatic saw cover	•
Impact-resistant cast core	•

• Standard ○ Optional

OPTIONAL EQUIPMENT

Conveyor	○
Single-phase system	○

AIR & ELECTRICAL

Voltage	220V 3P, 60 Hz
Current (220V)	8 A
Air pressure	100 psi
Air consumption	0.9 CFM


DIMENSIONS & WEIGHT


Machine size, l x w x h	28 x 50 x 58"
Weight	265 lb

VEGA II

Automatic Single Head Saw Ø 16"

CUTTING DIAGRAM





Cutting capacity by angle. Dimensions in inches and millimeters.

OZ MACHINE USA
2690 West 3rd Court, Hialeah, FL 33010
+1 833-390-0060 (toll-free) · sales@ozmachineusa.com

USA · CANADA · MEXICO

Product data, descriptions and illustrations may change without prior notice.